



EXAMINATION ADVISORY

MEDICAL TECHNOLOGISTS LICENSURE EXAMINATION

March 5 and 6, 2026

PAGADIAN TESTING CENTER ADVISORY TO ALL PAGADIAN EXAMINEES

WHAT TO BRING:

1. Notice of Admission (NOA)
2. One (1) government-issued valid ID
3. Face Mask and 70% Ethyl Alcohol (*optional*)
4. Individual packed lunch, snacks and drinks, necessary medications, including hygiene and sanitary kits placed in a transparent/ clear cellophane.

NOTE:

- A. SCHOOL/REVIEW CENTERS/ CO-EXAMINEES OR ANY GROUPS ARE NOT ALLOWED TO DISTRIBUTE FOODS AND DRINKS OUTSIDE OR INSIDE THE TESTING CENTER PREMISES.**
- B. FOOD DELIVERIES ARE NOT ALLOWED.**
- C. EXAMINEES WHO WILL BE CAUGHT ACCEPTING OR RECEIVING ANYTHING, INCLUDING FOOD, FROM ANY PERSON WHILE THE EXAM IS IN PROGRESS WILL BE REPORTED AS VIOLATION AND FORWARDED TO THE BOARD FOR APPROPRIATE ACTION (PRC Memorandum Order No. 57, s.2020)**
- D. EXCEPT FOR RESTROOM NECESSITIES, NO EXAMINEE SHALL BE ALLOWED TO LEAVE THE EXAMINATION ROOM DURING THE CONDUCT OF EXAMINATION.**

5. One (1) piece long brown envelope
6. One (1) piece long transparent (non-colored) plastic envelope (for keeping your valuables)
7. Two (2) or more pencils (No. 2)
8. Regular ballpen (not sign pen, friction pen, or technical pen) with **BLACK** ink only and with transparent casing
9. One (1) Non-programmable Calculator. Please refer to Annex A for the list of allowed non-programmable calculators. Calculators shall be inspected and have to be reset before the start of the examination.


Note: Above materials shall be placed inside a transparent/ clear envelope or cellophane.

PRESCRIBED DRESS CODE:

Examinees are required to wear their school uniform per Resolution No. 311 dated May 18, 1994

IMPORTANT REMINDERS:

REVIEW MATERIALS, DEADLY WEAPONS, BAGS OF ANY KIND, CIGARETTES, PROGRAMMABLE CALCULATORS, CELLULAR PHONES, SMARTWATCHES, SMART EYGLASSES, EAR PLUGS, TRANSMITTERS, PORTABLE COMPUTERS, BLUETOOTH and OTHER ELECTRONIC GADGETS/DEVICES WHICH MAYBE USED TO STORE OR RETRIEVE DATA/ INFORMATION AND/OR TO COMMUNICATE FOR WHATEVER PURPOSE are NOT ALLOWED INSIDE THE SCHOOL / TESTING PREMISES.



REVIEW MATERIALS



DEADLY WEAPONS




Ray-ban Meta AI eyeglasses



BAGS OF ANY KIND



CIGARETTES



PRORAMMABLE CALCULATORS



SMART WATCHES



EAR PLUGS



PORTABLE COMPUTER



MOBILE PHONES

Please be reminded that PRC Pagadian will no longer collect the above prohibited items at the entrance gate of the testing venue. Please leave it at your residence.

Examinees bringing the said items will not be allowed to enter the testing premises. Examinees who will be caught bringing these materials inside the testing premises will not be allowed to continue taking the examination.

Personal belongings brought by an examinee shall be for his/her own account. The PRC will not be answerable for any such item or personal belonging that might be lost during the exam without fault or negligence on its part.

I. CASIO SCIENTIFIC CALCULATORS

| | | | |
|----------|---------------|----------|--------------|
| Fx-95MS | Fx-122S | Fx-350HA | Fx-82ES PLUS |
| Fx-100D | Fx-220 | Fx-350MS | Fx-85MS |
| Fx-100MS | Fx-250HC | Fx-350TL | Fx-85W |
| Fx-100S | Fx-260 | Fx-570AD | Fx-901 |
| Fx-100W | Fx-300W | Fx-570MS | Fx-911W |
| Fx-115MS | Fx-350D | Fx-570S | Fx-991S |
| Fx-115S | Fx-350ES PLUS | Fx-570W | Fx-991W |
| Fx-115WA | Fx-350EX | Fx-82EX | |

II. CANON SCIENTIFIC CALCULATORS

| | | | |
|--------|---------|----------|------------------------------------|
| F-502 | F-710 | F-718SG | F-720i |
| F-502G | F-718S | F-718SGA | F-760S |
| F-604 | F-718SA | F-720 | F-789SGA (with transparent casing) |

III. SHARP SCIENTIFIC CALCULATORS

| | | | |
|---------|---------|----------|--|
| EL-500W | EL-506W | EL-510R | EL-531XH |
| EL-501V | EL-509D | EL-520G | EL-531W |
| EL-501W | EL-509R | EL-520VA | EL-546L |
| EL-501X | EL-509V | EL-520W | EL-546VA |
| EL-506P | EL-509W | EL-520X | EL-556G |
| EL-506V | EL-509X | EL-531VH | EL-W531TH-WH (with transparent casing) |

IV. HEWLETT-PACKARD SCIENTIFIC CALCULATORS

| | | | |
|-------|--------|--------|-------------------|
| HP 9S | HP 10S | HP 30S | HP Smartcalc 300S |
|-------|--------|--------|-------------------|

V. CITIZEN SCIENTIFIC CALCULATORS

| | | | | |
|---------|---------|---------|---------|---------|
| SR-135N | SR-260N | SR-270N | SR-270X | SR-281N |
|---------|---------|---------|---------|---------|

VI. AURORA SCIENTIFIC CALCULATORS

| | | | | |
|--------|----------|----------|---------|---------|
| AX-501 | AX-528BL | AX-595TV | AX-597W | AX-600S |
|--------|----------|----------|---------|---------|

VII. OLYMPIA SCIENTIFIC CALCULATORS

| | | | |
|----------|----------|----------|---|
| LCD 8110 | LCD 9210 | ES-570MS | ES-570ES PLUS (with transparent casing) |
|----------|----------|----------|---|

VIII. TEXAS INSTRUMENTS SCIENTIFIC CALCULATORS

| | | | | |
|---------|-----------|---------|-------|------------|
| TI-30XA | TI-30XIIS | TI-30XS | TI-34 | TI-36X PRO |
|---------|-----------|---------|-------|------------|

IX. OTHER BRANDS

| | |
|----------------|----------------|
| KARCE KC-S991 | KARCE KC-S3500 |
| PORPO YH-105 | PORPO YH-106 |
| TAKSUN TS-98MS | TAKSUN TS-2000 |

For Desktop Calculators, please refer to this list:



Republic of the Philippines
Professional Regulation Commission

Manila

MEMORANDUM CIRCULAR No. 2009- 21

October 28 , 2009

TO: All Chairpersons and Members of the Professional Regulatory Boards
All PRC Officials and Employees in the Central Office and Regional Offices

SUBJECT: UPDATED LIST OF NON-PROGRAMMABLE CALCULATORS ALLOWED TO BE USED IN LICENSURE EXAMINATIONS

The Commission issued Memorandum Circular No. 2004-06 dated March 4, 2004 listing the brands and models of non-programmable calculators that are allowed to be used in licensure examinations.

It has been observed during the conduct of examinations that there are still other brands and models that are non-programmable that are not included in the list of those allowed to be used.

In order to properly guide the examinees and examination personnel, the following is the Updated List of Non-Programmable Calculators that shall be allowed to be used in the examinations after verifications with the distributors and identification of knowledgeable persons.

Accordingly, the examinees shall be allowed to bring in and use ONLY any of the following calculators that were identified as non-programmable :

I. CASIO STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | | |
|------------|---------------|---------------|--------------|-------------|----------|-----------|
| 530 | DS-208H | fx-500A | fx-82SX | J-120TE | MS-10TV | NS-10T |
| 20V | DS-20TV | fx-500ES | fx-82TL | JF-120TV | MS-10V | NS-20T |
| 470LA | DS-2TV | fx-506G | fx-85B | JF-200TV | MS-10VC | NS-310TM |
| D-100V | DS-3V | fx-506M | fx-85ES | JS-10LA | MS-115 | O-40M |
| D-120TE | DS-881 | fx-509D | fx-85ES PLUS | JS-10TV | MS-120TE | SL-100L |
| D-120TV | DW120TV | fx-509G | fx-85MS | JS-110TV | MS-120TV | SL-100VC |
| D-208H | fx-85ES PLUS | fx-520G | fx-85S | JS-120TV | MS-170LA | SL-1000TV |
| D-20L | fx-100D | fx-531GH | fx-85SA | JS-140V | MS-170T | SL-1100 |
| D-20M | fx-100MS | fx-546D | fx-901 | JS-20LA | MS-20TV | SL-200TE |
| D-40L | fx-100S | fx-570AD | fx-911W | JS-20TV | MS-20V | SL-210TE |
| D-60L | fx-100W | fx-570ES | fx-95 | JS-40LA | MS-240T | SL-220TE |
| D-60M | fx-115D | fx-570ES PLUS | fx-95MS | JS-40V | MS-270LA | SL-300LV |
| DF100 | fx-115MS | fx-570MS | | JS-SC | MS-270T | SL-300TV |
| DF120TM | fx-115S | fx-570S | | JW120TV | MS-310TM | SL-305TE |
| DF120TV | fx-122S | fx-570W | fx-991H | JW200 | MS-350 | SL-315TV |
| DF-240LB | fx-220 | fx-580 | fx-991MS | LC-1000T | MS-373 | SL-320TV |
| DF-320TM | fx-250HC | fx-580D | fx-991N | LC-1000T/TV | MS-470 | SL-320V |
| DJ-120T | fx-260 | fx-55 | fx-991S | LC-160LV | MS-470LA | SL-340VA |
| DJ-220 | fx-300SA | fx-75 | fx-991W | LC-401B | MS-470LB | SL-760LB |
| DJ-240 | fx-300W | fx-82 | fx-992S | LC-401L/LV | MS-5VC | SL-787LT |
| DM-1200T | fx-350D | fx-820MS | fx-992VB | LC-403LD | MS-7T | SL-797LT |
| DM-1200TEV | fx-350ES | fx-824 | HC100 | LC-403LD/TV | MS-808V | SL-910TM |
| DM-1400TV | fx-350ES PLUS | fx-825X | HL-100LB | M-7LB | MS-80TE | SX-100 |
| DM-1600 | fx-350HA | fx-82C | HL-122I | MJ-100 | MS-80TV | SX-220 |
| DM-1600TV | fx-350MS | fx-82ES | HL-4 | MJ-100T | MS-812V | SX-300 |
| DN-858A | fx-350TL | fx-82ES PLUS | HL-815L | MJ-120T | MS-8T | SX-300P |
| DS-10TV | fx-350TLG | fx-82LB | HL-820LV | MS-1002 | MS-8TV | SX-320P |
| DS-120TV | fx-350W | fx-82LP | HL-820V | MS-100TE | MW-5V | WD-220T |
| DS-1800S | fx-401 | fx-82MS | HL-821 | MS-100TV | MW-8V | WM-200T |
| DS-1TV | fx-451M | fx-82Super | HS-8LE | MS-10TE | MX8V | WM-220T |

OFFICE OF THE COMMISSIONER, MANILA, PHILIPPINES, 1008

For Desktop Calculators, please refer to this list:

II. CANON STAND D/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | | |
|-----------|----------------|------------|------------|------------|------------|-------------|
| AD-11 | HS-1200 TV | LC-500H B | LS-1200T | LS-12TC | LS-88H | TS-120 TL |
| BS-1200TS | HS-1200RS | LC-500H G | LS-120H | LS-12TU | LS-88H II | TS-1200TG |
| CC-55 | HS-1200TS | LS-10 DT | LS-120H | LS-153TS | LS-88HV B | TS-120TL |
| F-502 | HS-1200TSV | LS-100 TSV | LS-120H II | LS-154H | LS-88HV G | TS-120TS A |
| F-502G | HS-1210TC | LS-1000T | LS-120L | LS-164TG | LS-88HV Y | TS-121TC |
| F-604 | HS-20 TG | LS-100TC | LS-120RS | LS-22TC | LS-88V | TX-1210 E |
| F-710 | KC-20 | LS-100TS | LS-120TSG | LS-270H | LS-88V II | TX-1210H |
| F-715S | KS-1200TS | LS-100TSV | LS-120TU | LS-270V II | LS-QT | TX-1210H II |
| F-720 | LC-210 HI II | LS-101H | LS-120V | LS-330H | MP-120LTS | TX-12H |
| F-720I | LC-210HI | LS-102Z | LS-120V II | LS-355TS | MP-1211LTS | WS-112H |
| F-780S | LC-210HI B | LS-103TC | LS-120V-B | LS-39H | MP-121DTS | WS-1200TV |
| F-780DX | LC-210HI G | LS-100T | LS-120V-G | LS-588H | MP-1411LTS | WS-1210HI |
| FC-45S | LC-210HI II G | LS-120 HI | LS-120V-P | LS-83TG | P1-DTS II | WS-1210H II |
| FC-4S | LC-210HI II GR | LS-120 RS | LS-121TC | LS-82Z | P23-DTS II | WS-1210T |
| HS-1000TG | LC-210HI II PB | LS-120 TU | LS-122R | LS-83TC | P3420-DL | WS-1410 T |
| HS-1200 T | LC-210HI Y | LS-120 V | LS-123TC | LS-88 L | TS-10TS | WS-1610 T |

III. SHARP STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | | |
|---------|------------|---------|-------------|--------------|----------|----------|
| CH-312 | EL-231L | EL-331A | EL-500M | EL-509G | EL-520W | EL-6750 |
| CH-412 | EL-240S | EL-334F | EL-501 (BK) | EL-509R | EL-531GH | EL-6810 |
| CH-612 | EL-242M | EL-337C | EL-501V | EL-509V | EL-531RH | EL-6850 |
| EL-124A | EL-243S | EL-338F | EL-501W | EL-509V/531W | EL-531VH | EL-771C |
| EL-144A | EL-250S | EL-338H | EL-506P | EL-610R | EL-531W | EL-M332 |
| EL-125A | EL-310A | EL-378S | EL-506R | EL-520G | EL-548L | EL-M711G |
| EL-146A | EL-310A-GR | EL-378S | EL-506V | EL-520V | EL-548VA | EL-W211G |
| EL-212S | EL-327S | EL-378S | EL-506W | EL-520V (BK) | EL-558G | EL-W531 |
| EL-233S | EL-330A | EL-421M | EL-509D | EL-520VA | EL-6053 | |

IV. HEWLETT-PACKARD STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | |
|-------|-------------------|--------------------|--------------------|---------------------------|
| HP 95 | HP30S | HP Office Calc 100 | HP Office Calc 300 | HP Quickcalc Lifestyle |
| HP10S | HP Smartcalc 300s | HP Office Calc 200 | HP Easycalc 100 | |

V. CITIZEN STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | | |
|--------|------------|-----------|-----------|----------|---------|-------|
| CT-580 | SDC-84407E | SDC-8810 | SDC-8620A | SLD-7088 | STL-795 | W-11S |
| ET-210 | SDC-8360 | SDC-8910A | SDC-8975 | SLD-742N | TL-780 | |

VI. AURORA STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | | |
|------------|--------|--------|-------|-------|----------|--------|
| 2512 | DT210 | DT-394 | HC115 | HC193 | HL-125 | SC-120 |
| DB453B | DT303 | EB-964 | HC133 | HC205 | MS-270LA | SC562 |
| DT120Vplus | DT-393 | HC106 | | | | |

VII. OLYMPIA STANDARD/DESK TOP/SCIENTIFIC CALCULATORS

| | | | | | |
|---------|---------|-----------|----------|---------|--------|
| ARCUS 1 | HL-88L | LCD-612ST | SD-100HW | SD-805M | SD-828 |
| HL-110 | LCD-186 | SD-100H | SD-100V | SD-81H | SD-835 |

VIII. OTHER BRANDS

| | | | | |
|-------------|--------------|--------------|-------------------|----------------|
| CEBAR CD402 | TL 30XS | KARCE KC 536 | PORPO YH-106 | TAKSUN TS-217 |
| DAL 506X | KARCE-833 | TEXAS TI-30 | TIME BIRD SJC-122 | TAKSUN TS-128B |
| LIFELONG | KARCE KC 250 | PORPO YH-105 | TAKSUN TS-128 | |

Other brands of desktop calculators may be allowed to be used in the CPA licensure examination subject to inspection by the room watchers.


Concerned units are hereby directed to update the Examinees' Kit/Guide and poster on the List of Allowed Calculators.

This Memorandum Circular supersedes Memorandum Circular No. 2008-19 dated November 10, 2008 and shall take effect immediately upon its publication in the official gazette or in a newspaper of general circulation.

Please be guided accordingly.

DATE OF PUBLICATION IN THE
OFFICIAL GAZETTE : 12-01-09
DATE OF EFFECTIVITY : 01-06-10

O-LIC/D-EXAM
DAD/...


NICOLAS P. LAPENA, JR.
Chairman

**PROFESSIONAL REGULATION COMMISSION****PAGADIAN
MEDICAL TECHNOLOGIST
MARCH 5 & 6, 2026****School :** PROFESSIONAL REGULATION COMMISSION-REGION IX OFFICE (PRC-IX)**Address :** PRES. CORAZON AQUINO REGIONAL CENTER, BRGY. BALINTAWAK, PAGADIAN CITY**Building :** PRC-IX BUILDING**Floor :** 1ST**Room/Grp No. :** 1

| Seat No. | Last Name | First Name | Middle Name | School Attended |
|-----------------|------------------|-------------------|--------------------|---|
| 1 | ADAZA | GRENYLL JUNN | APIAG | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 2 | ADORABLE | SHAMLEENE LOVE | TULABING | MOUNTAIN VIEW COLLEGE |
| 3 | AGOT | JIREH ANNE | ORTEGA | VELEZ COLLEGE |
| 4 | ALCORIN | HESIL FAITH | ARAMBALA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 5 | ALLOSADA | CHRISTIAN RICK | GENERALE | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 6 | AMBOLODTO | SARAH JANE | BADAL | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 7 | AMPATUAN | HADIA | ACAS | MISAMIS UNIVERSITY-OZAMIS CITY |
| 8 | ANDI | JIHARA | ALIUDEN | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 9 | ANIG | ADJARA | ABUBACAR | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 10 | BACALSO | NOREEN | CALAGO | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 11 | BACNOTAN | LADY JANE | ACUÑA | ADVENTIST MEDICAL CENTER COLL.-FOR MINDANAO SANI. & HOSP. COLL. INC.) |
| 12 | BALIMBINGAN | MONZER | UNGAD | UNIVERSIDAD DE ZAMBOANGA-PAGADIAN (for MENDERO COLLEGE) |
| 13 | BENASAHAN | BERYL KATRINA | LACHICA | MOUNTAIN VIEW COLLEGE |
| 14 | BIANTAN | ROMEENA RAZMALYN | AMIR | DR. P. OCAMPO COLLEGES |
| 15 | BINGHAY | VENICE FATIMA | LIM | SOUTHWESTERN UNIVERSITY |
| 16 | CADUAN | HANNAH ZYRA | LAPINOSO | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 17 | CAGAANAN | GLADDYS CLAIRE | ANG | ADVENTIST MEDICAL CENTER COLL.-FOR MINDANAO SANI. & HOSP. COLL. INC.) |
| 18 | CHUA | RONALYN JOY | FLORES | MISAMIS UNIVERSITY-OZAMIS CITY |
| 19 | COLEGADO | SHINNA MYRE | PEREZ | MOUNTAIN VIEW COLLEGE |
| 20 | DAGADAS | NOR-ANE | NAVARETTE | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.



PROFESSIONAL REGULATION COMMISSION

**PAGADIAN
MEDICAL TECHNOLOGIST
MARCH 5 & 6, 2026**

School : PROFESSIONAL REGULATION COMMISSION-REGION IX OFFICE (PRC-IX)

Address : PRES. CORAZON AQUINO REGIONAL CENTER, BRGY. BALINTAWAK, PAGADIAN CITY

Building : PRC-IX BUILDING

Floor : 1ST

Room/Grp No. : 2

| Seat No. | Last Name | First Name | Middle Name | School Attended |
|-----------------|------------------|--------------------|--------------------|---|
| 1 | DIEGO | MICHAEL JOHN | MORA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 2 | DUCA | CAMILLE | MAGBAGO | CENTRO ESCOLAR UNIVERSITY-MAKATI |
| 3 | ESTEBAN | CHARISSE GOLD | BARRAMEDA | MOUNTAIN VIEW COLLEGE |
| 4 | GOLEZ | EARL LYDYN | DAMALERIO | LICEO DE CAGAYAN UNIVERSITY |
| 5 | GUMINTAD | SHARMEN | DALIGANG | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 6 | HASAN | KATRINA | YUSOP | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 7 | HORTILANO | CHARLES MART | RABE | MOUNTAIN VIEW COLLEGE |
| 8 | JERUSALEM | KRESIAH MAE | LASMARIAS | MEDINA COLLEGE-OZAMIS CITY |
| 9 | KALIPA | ANSARI | ABAS | DR. P. OCAMPO COLLEGES |
| 10 | LABAJOSA | JESHEL | YANGA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 11 | LABANG | BRYLE OWEN | RAÑO A | LICEO DE CAGAYAN UNIVERSITY |
| 12 | LUSTRIA | GWYNETH | SEITON | UNIVERSIDAD DE ZAMBOANGA (for.ZAEC) |
| 13 | MALABAGO | FATIMA PERL | TROCIO | MINDANAO MEDICAL FOUNDATION COLLEGE |
| 14 | MIGUEL | MARIA LOUDY | SAGRADO | MISAMIS UNIVERSITY-OZAMIS CITY |
| 15 | MUNDING | ARRA MAE | MAPULA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 16 | NACASABOG | REXGEO | IGAR | ADVENTIST MEDICAL CENTER COLL.-FOR MINDANAO SANI. & HOSP. COLL. INC.) |
| 17 | OGABANG | FIEL | MENDOZA | MISAMIS UNIVERSITY-OZAMIS CITY |
| 18 | OMICTIN | CHARLES | DELOSO | SILLIMAN UNIVERSITY |
| 19 | PANGAN | TAWNI VINN ARIANNE | | MOUNTAIN VIEW COLLEGE |
| 20 | PAUSANOS | MA. TERESA | MONTANO | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.



PAGADIAN
MEDICAL TECHNOLOGIST
MARCH 5 & 6, 2026

School : PROFESSIONAL REGULATION COMMISSION-REGION IX OFFICE (PRC-IX)

Address : PRES. CORAZON AQUINO REGIONAL CENTER, BRGY. BALINTAWAK, PAGADIAN CITY

Building : PRC-IX BUILDING

Floor : 1ST

Room/Grp No. : 3

| Seat No. | Last Name | First Name | Middle Name | School Attended |
|-----------------|------------------|----------------------|--------------------|---|
| 1 | PEREY | VIEN CARMILLE | ABAD | DMC COLLEGE FOUNDATION INC.(FOR DIPOLOG MED CTR COLL.FOUND.. INC) |
| 2 | PONIO | LEAH MAE | BEJAR | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 3 | PRADO | JAYSAM | AMBA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 4 | PRINCIPE | NORHAMEN | DATUMAMA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 5 | RANES | MAXINE | HORTILANO | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 6 | REGIDOR | PRINCESS ERICA | CAPAPAS | MISAMIS UNIVERSITY-OZAMIS CITY |
| 7 | RONDEZ | MARIDEL | VIÑA | ADVENTIST MEDICAL CENTER COLL.-FOR MINDANAO SANI. & HOSP. COLL. INC.) |
| 8 | SALABSAB | ANGELICA | ZUASOLA | MISAMIS UNIVERSITY-OZAMIS CITY |
| 9 | SAMIN | JAVANIYA | MAYO | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 10 | SIAO | ARNOLD JR | RAMILLANO | MISAMIS UNIVERSITY-OZAMIS CITY |
| 11 | SIBLERO | NICHOLLE | OTOC | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 12 | SOLO | DEEJAY | MEDILO | MOUNTAIN VIEW COLLEGE |
| 13 | TABANCURA | STEPHANIE ERICA MAYE | BERNALDEZ | MISAMIS UNIVERSITY-OZAMIS CITY |
| 14 | TACULING | RIYAD | AMPATUAN | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 15 | TANTONG | JOMRAINE | SUGADOL | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 16 | TAPODOC | RHEA JANE | BORDA | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 17 | TAUDEL | NADZMA | CANACAN | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 18 | TORRES | MAE BELLE JANE | DEMOLDE | MEDINA COLLEGE-PAGADIAN (for.ST.JOHN GEN. HOSP.& COLL.) |
| 19 | UDDIN | SITTI AYESHA | NIETO | UNIVERSIDAD DE ZAMBOANGA (for.ZAEC) |
| 20 | VILLEGO | MELL SEAN JOHN | LURA | UNIVERSIDAD DE ZAMBOANGA-PAGADIAN (for MENDERO COLLEGE) |

REMINDER: USE SAME NAME IN ALL EXAMINATION FORMS. IF THERE IS AN ERROR IN SPELLING AND OTHER DATA KINDLY REQUEST YOUR ROOM WATCHERS TO CORRECT IT ON THE FIRST DAY OF EXAMINATION. REPORT TO YOUR ROOM ON OR BEFORE 6:30 A.M. LATE EXAMINEES WILL NOT BE ADMITTED.